SDRP Journal of Computational Chemistry & Molecular Modelling

(ISSN: 2473-6260)

SYMMETRY AND ASYMMETRY IN THE MENDELEEV'S PERIODIC TABLE PREDICTIVE EQUATION

DOI: 10.25177/JCCMM.2.1.3

Research

AUTHOR: Jean-claude PEREZ

August 2017

Copy rights: © This is an Open access article distributed under the terms of Creative Commons Attribution 4. 0 International License.

Received Date: 14th June 2017 Accepted Date: 05th Aug 2017 Published Date:30th Aug 2017

Jean-claude PEREZ, PhD Maths & Computer Science, retired interdisciplinary researcher (IBM), 7 avenue de terre-rouge F33127 Martignas Bordeaux metropole France, phone 33 0781181112

CORRESPONDING AUTHOR:

Jean-claude PEREZ

Email: jeanclaudeperez2@gmail.com

CONFLICTS OF INTEREST

There are no conflicts of interest for any of the authors.

"The scientific man does not aim at an immediate result. He does not expect that his advanced ideas will be readily taken up. His work is like that of the planter—for the future. His duty is to lay the foundation for those who are to come, and point the way." *Nikola Tesla*

ABSTRACT

This article demonstrates that:

- 1.Structure of the periodic table of Elements is predictable. It is structured by a numerical structure of whole numbers.
- 2. This structure is deterministic and predictive, then, for any period p, it can be calculated by applying "the generic equation of Mendeleev" which we discovered.
- 3. The generic equation is completely controlled by the four quantum Numbers.
- 4. This generic equation makes it possible to check the regularity of the common table of Mendeleev, but it can also "predict" and anticipate the existence of hypothetical Elements now unknown, of which it makes it possible to determine the quantum properties, then electronic and chemical hypothetical properties

INTRODUCTION

Let us take the example of the famous table of Mendeleev (1), no one never had the idea to seek a possible mathematical law which would organize the information and the structure of "the most heterogeneous table of Science".

Note :The discovery of a "predictive formula of the periodic table structure" described here was discovered 20 years ago (1997) then published in french in the book "codex biogenesis" (2009). Meanwhile, the present peer reviewed manuscript (2017) must be considered as the main reference.

The reader will find in the book "codex biogenesis" (ref 4, chapter 2) a more complete exhaustive description of this discovery, and more particularly about its subtle relationships with quantum physics.

RESULTS AND DISCUSSION

We discovered this law: the equation of the table of Mendeleev. Here is a short summary: We discovered a simple equation which generates and predicts the structure of the table of Mendeleev. This equation predicts the number of elements of any layer of period "p" in the table according to the only value of this period "p". Beyond this mathematical modelling of the periodic table of the Elements,

- This equation underlines, in its formulation, the "trace" of the 4 fundamental quantum Numbers (please see Methods for details).

AUTHOR: Jean-claude PEREZ																		
→ Columns	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18
Périods																		
1	1 H																	2 He
2	3 Li	4 Be											5 B	6 C	7 N	8	9 F	10 Ne
3	11 Na	12 Mg											13 Al	14 Si	15 P	16 S	17 CI	18 Ar
4	19 K	20 Ca	21 Sc	22 Ti	23 V	24 Cr	25 Mn	26 Fe	27 Co	28 Ni	29 Cu	30 Zn	31 Ga	32 Ge	33 As	34 Se	35 Br	36 Kr
5	37 Rb	38 Sr	39 Y	40 Zr	41 Nb	42 Mo	43 Tc	44 Ru	45 Rh	46 Pd	47 Ag	48 Cd	49 In	50 Sn	51 Sb	52 Te	53 	54 Xe
6	55 Cs	56 Ba	(*) 71 Lu	72 Hf	73 Ta	74 W	75 Re	76 Os	77 Ir	78 Pt	79 Au	80 Hg	81 TI	82 Pb	83 Bi	84 Po	85 At	86 Rn
7	87 Fr	88 Ra	(**) 103 Lr	104 Rf	105 Db	106 Sg	107 Bh	108 Hs	109 Mt	110 Uun	111 Uuu	112 Uub						

Figure 1: The conventional representation of the Mendeleev's periodic table. Н Не 10 Be В Ne 15 P 12 13 14 16 17 18 C1 mg A1 19 K 20 28 31 32 33 34 35 36 21 26 Sc v Cr Fe Co Ni Cu Zn Ge Κr Ga Se Ca Ti mn As Βr 38 40 41 42 43 44 45 46 48 49 50 51 52 53 54 Rb Ru Rh Pd Sb Te Sr Zr Nb mo Tc Cd In Sn Хe Ag 74 W 55 56 61 62 63 64 65 66 68 71 72 73 75 76 77 78 79 80 81 82 83 84 85 86 Ba Ce Pr Nd Pm Sm Eu Gd Тb Dy Ho Er tm Υb Ta Os Pt Au Hg Ti Рb Bi Po At Rn 95 98 87 88 89 90 91 92 93 94 96 97 99 1 Ac Th Pa U Np Pu cm Bk Cf 0 0 0 0 0 0 0 0 0 0 8 0 6 3 1 3 0 No Ĺr Dъ Bh Hs Fm Rf Sg Mt Uu Uu Uu md

70

102

69

Figure 2: The new representation of the Mendeleev's periodic table.

57

89

58

90

Се

59

91

Pr

60

92

Nd

61

Pm

62

Pu

63

95

Eu

64

96

Gd

Cm

65

Τb

Bk

66

98

D۷

67

99

Ho

68

Er

100

Fm

◆ This modelling also makes it possible to imagine an infinity of other Elements (virtual) which one could however predict positioning towards the "low layers of the table ", like their quantum properties.

Summarizing the Law: we consider:

* Lanthanides

** Actinides

-c(p) a horizontal layer of elements of the table of Mendeleev,

"p" the period associated with this c(p) layer such as p = [1234567...], - Int(v) the whole part of the numerical value "v". exp: if v=2.35, then Int (2.35)=2. one obtains c(p), the number of elements contained in the c (p) layer of order p, by applying the formula:

$$c(p)=2x\left[Int\left(\frac{(p+2)}{2}\right)\right]^{2}$$
Examples: Graphical structures overview: If $p=1 \Rightarrow c(1)=2$
If $p=2 \Rightarrow c(2)=8$ If $p=3 \Rightarrow c(3)=8$
If $p=4 \Rightarrow c(4)=18$ If $p=5 \Rightarrow c(5)=18$
If $p=6 \Rightarrow c(6)=32$ If $p=7 \Rightarrow c(7)=32$
If $p=8 \Rightarrow c(8)=50$ If $p=9 \Rightarrow c(9)=50$
.../... If $p=16 \Rightarrow c(16)=162$




Figure 3: Perez's periodic table predictive formula: "X" and "K" 3D modelling

MENDELLEV 3 Feriodic lables Chistres

Perez's Periodic Table Predictive Equation: "X" and "K" 3-dimensions modelling

This equation makes it possible to propose new graphic designs of the Mendeleev's table (3):

-« 2-dimensions conventional table » : it is the usual representation in which lanthanides were reintegrated in their place. This table extends by bottom when p increases.

-« 3-dimensions X diamonds-like »: this structure underlines the double symmetry of growth of the crystal-like table. It is made of 4 regular pyramids with square bases forming "XX" for face view, "X" for side view, and 2 squares adjacent by an angle in sights of top and below.

When p grows, the extension is done alternatively by bottom and the top. The 4 pyramids constitute a network of 4 interconnected "diamonds-like"linked by 4 points: the atoms H and He on the one hand, and corners of the 2 squares of the 2 last layers on the other hand.

-« 3-dimensions K diamonds-like »: This structure is most realistic: it amalgamates alignments by columns of the traditional table with the 3-dimensional structure. We have 4 orthogonal pyramids with square bases. They are also connected by the 4 points H, He, and the junctions of the 2 corners of the squares corresponding to the 2 last layers p and p-1. The filling of a layer respects alignments of atoms of the preceding layers (as in the table of Mendeleev) while the new positions of atoms of the layer correspond to the growth of the last squares related to the internal squares of layers (new added orbitals). All in all, the structure falls under 2 adjacent parallelepipeds by a edge. This space is hollowed out by a kind of three-dimensional regular rhombus.

Strong Relationships between the 4 Quantum Numbers and Mendeleev's Table Equation:

Niels Bohr established the relation between the position of each Element in the periodic table and its electronic structure. The chemical properties of each Element are thus COMPLETELY DETERMINED by the distribution of the electrons of this Element. The properties and positioning of these electrons, themselves, are determined by the laws of QUANTUM PHYSICS. It is related to the wave equation of Schrödinger which establishes these

AUTHOR: Jean-claude PEREZ

distributions of probabilities of energies of the electron. These waves functions name the "orbitals". Thus, with any electron identifiers are associated: they are the FOUR QUANTUM NUMBERS. One successively defines "n", "l", "m", and "s", the 4 quantum numbers. We show in Codex Biogenesis book (4) that our Mendeleev's Equation includes strong links with the 4 quantum numbers: One thus finds, in this new concise writing of the generic equation, the explicit trace of 2 among the 4 quantum Numbers: "n" and "m":

$$c(p)=2x \left[Int \left(\frac{(p+2)}{2} \right) \right]^2 = 2 m_p = 2 n_p^2$$

where m and n are the magnetic and principal quantum numbers of index p.

Symmetry and asymmetry considerations:

Number "2" is generally considered as a key of SYMMETRY. Then, in the proposed single formula, number 2 occurs 4 (four) times: multiply, divide, add, and square power. See details:

In other hand, ASYMETRY appears also within the formula principally in the "Int" operator truncating real numbers in integer numbers and also with alternate odd/even values of period "p". We note also the great concision of this formula which is build only from 3 tokens: "p", "2" and "Int" operator. (combined with usual arithmetic basic operators).

CONCLUSIONS

- 1. Structure of the periodic table of Elements is predictable. It is structured by a numerical structure of whole numbers.
- 2. This structure is deterministic and predictive, then, for any period p, it can be calculated by applying "the generic equation of Mendeleev" which we discovered.
- 3. The generic equation is completely controlled by the four quantum Numbers.
- 4. This generic equation makes it possible to check the regularity of the common table of Mendeleïev, but it can also "predict" and anticipate the existence of hypothetical Elements now unknown, of which it makes it possible to determine the quantum properties, then electronic and chemical hypothetical properties (4, 5).

ACKNOWLEDGEMENTS

We especially thank Dr. Robert Friedman M.D. practiced nutritional and preventive medicine in Santa Fe, New Mexico, for strong discussions and suggestions on Mendeleiev's periodic table representations.

REFERENCES

- 1. Mendeleev D, (1889) The Periodic Law of the Chemical Elements. Journal of the Chemical Society, 55, 634-56 (FARADAY LECTURE, delivered before the Fellows of the Chemical Society in the Theatre of the Royal Institution, on Tuesday, June 4th, 1889) Available: http://www.ias.ac.in/article/fulltext/reso/005/05/0104-0108
- 2. Glenn T. Seaborg, "Prospects for further considerable extension of the periodic table", Journal Chemical Education, 1969, 46, 626.
- 3. Martin Kemp "Mendeleïev's matrix", NATURE, vol 393, 11 June 1998, p:527, (1998).
- 4. Perez JC (2009) Codex Biogenesis. Resurgence, Liege Belgium. https://www.amazon.fr/Codex-Biogenesis-13-codes-IADN/dp/2874340448
- 5. Perez JČ (1991)HYPERLINK "mailto:https://fr.scribd.com/doc/95675166/1991-jc-perez-published-the-FIRST-paper-on-ralations-between-DNA-sequences-Fractals-and-FIBONACCI-numberspeculationsinscienceandtechnology" \t

- "_blank" Chaos DNA and neuro-computers: a golden link. Speculations in Science and Technology 14: 336-346.
- 6. Marcer PJ (1992)HYPERLINK "mailto:http://www.emeraldinsight.com/journals.htm? articleid=1663901&show=abstract" \t "_blank" Order and chaos in DNA the Denis Guichard Prizewinner: Jean-Claude Perez. Kybernetes 21: 60-61.
- 7. Perez JC (1997)HYPERLINK "mailto:http://www.resurgence.be/91-adn-decrypte-9782872110179.html" \t "blank" L'adn Décrypté. Resurgence publisher Liege, Belgium.
- 8. Perez J (2015) Deciphering Hidden DNA Meta-Codes -The Great Unification & Master Code of Biology. J Glycomics Lipidomics 5:131. doi: 10.4172/2153-0637.1000131 HYPERLINK "https://www.omicsonline.org/open-access/deciphering-hidden-dnametacodes-the-great-unification--mastercode-of-biology-2153-0637-1000131.php?aid=55261"https://www.omicsonline.org/open-access/deciphering-hidden-dna-metacodes-the-great-unification-mastercode-of-biology-2153-0637-1000131.php?aid=55261

Contact Us:

SIFT DESK

Deerpark Dr, #75, Fullerton,CA,92831,United States. E-mail: helpdesk@siftdesk.org Visit us on the web at: www.siftdesk.org